

Item Name	Specifications	Image
BIHEXAGON SOCKET SET	<p>Metric Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 33, and 36 mm</p> <p>Hex Bit Sockets: 4, 5, 6, 7, 8, 10, 12, 14, 17, and 19 mm</p> <p>Philips Sockets: 2, 3, and 4</p> <p>Spark Plug Sockets: M14 and M10</p> <p>Chrome Molybdenum Screwdriver Bits: 9 and 14, chemically blacked</p> <p>Accessories: Extension bars (75, 125, 250 mm), universal-joint, T-handle, swivel handle, black rubber ratchet handle</p> <p>Case: Robust fitted case with magnetic parts tray, security padlock, and cushion grip handle</p>	
SCREW DRIVER SET	<p>Handle Material: Exceptionally resistant to hydrocarbons and oils</p> <p>Construction: Flanged tang molded inside handle</p> <p>Material: Chrome plated vanadium steel</p> <p>Tip Type: Short blasted tip</p> <p>Tray/Container: Included</p> <p>Blades:</p> <p>Flared and Parallel Tips:</p> <ul style="list-style-type: none"> -5.5 mm x 2 mm x 100 mm (2 pcs) -6.5 mm x 1.2 mm x 125 mm (2 pcs) -6.5 mm x 1.2 mm x 150 mm (2 pcs) -8.0 mm x 1.2 mm x 150 mm (3 pcs) -8.0 mm x 1.6 mm x 200 mm (3 pcs) -10.0 mm x 1.6 mm x 200 mm (3 pcs) -12.0 mm x 2.0 mm x 250 mm (3 pcs) <p>Philips/Pozidrive Tips:</p> <ul style="list-style-type: none"> -PZ1: 5.0 mm x 30 mm (2 pcs), 75 mm (2 pcs), 100 mm (2 pcs) -PZ2: 6.0 mm x 30 mm (2 pcs), 125 mm (3 pcs) -PZ3: 8.0 mm x 150 mm (3 pcs) -PZ4: 9.9 mm x 200 mm (3 pcs) 	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.




Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

	<p>-Note: PZ = ISO code 2,380 and 4,757</p>	
<p>INSULATED PLIERS SET</p>	<p>Material: High-quality steel, hot forged for strength and durability</p> <p>Features: Smooth action, anti-slip molded handle, insulated handle</p> <p>Set Includes:</p> <ul style="list-style-type: none"> -Multi-grip pliers: 240 mm, max jaw opening 45 mm, slip joint with more than 6 positions -Combination pliers: 180 mm, serrated jaw with cutting edge, max wire cutting 1.6 mm -Snipe nose pliers: 200 mm, tapered straight nose with serrated jaw and side cutter, max wire cutting 1.6 mm -Diagonal cutter pliers: 160 mm, finely sharpened for cutting copper wire, max wire cutting 1.6 mm -Wire stripper pliers: 160 mm, spring release, adjustable screw with lock nut, strip wire capacity 0.5 - 6 mm -End cutter pliers: 160 mm, finely sharpened for cutting copper wire, max wire cutting 1.6 mm <p>-Case: Cantilever tool box, 3-tier construction, double handle closing, 5 compartments</p>	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

<p>HAMMER TOOL SET</p>	<p>Steel Hammers:</p> <ul style="list-style-type: none"> -1 Ball Pein Hammer: 4 Oz, 270 mm long, 65 mm head width, 18 mm head thickness -1 Ball Pein Hammer: 16 Oz, 350 mm long, 100 mm head width, 29 mm head thickness -1 Joiners Warrington Hammer No.0: 8 Oz, 270 mm long, 105 mm head width, 25 mm head thickness -1 Steel Claw Hammer: 16 Oz, 320 mm long, 130 mm head width, 32 mm head thickness -1 Club Hammer: 4 lbs, 240 mm long, 100 mm head width, 42 mm head thickness 	
<p>Soft Face Hammer</p>	<ul style="list-style-type: none"> -1 Copper Hammer: 32 Oz, face dia. 32 mm, 280 mm long -1 Nylon Soft Face Hammer: 24 Oz, face dia. 38 mm, 300 mm long -1 Rubber Mallet: 24 Oz, head size 74 x 127 mm, 380 mm long 	
<p>Cold chisels</p>	<ul style="list-style-type: none"> -2 Cold Chisels: Blade width 10 mm, length 150 mm -2 Cold Chisels: Blade width 16 mm, length 200 mm -1 Pinch Bar: Blade width 25 mm, length 450 mm 	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.






Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

<p>Punches</p>	<p>-2 Center Punches: Diameter 6 mm, length 150 mm</p> <p>-2 Taper Punches: Diameter 6 mm, length 150 mm</p> <p>-2 Automatic Center Punches: Diameter 6 mm, length 140 mm, adjustable impact</p>	
<p>Hacksaw</p>	<p>Features: Lightweight construction, resistant to oxidation, increased blade tension, front hand rest, hand guard protection</p> <p>Handle and Frame: Die cast aluminum, square section</p> <p>Blade Adjustment: Cantilever</p> <p>Blade Length: 300 mm standard</p> <p>Blades:</p> <p>-24 blades for 18 TPI HSS</p> <p>-24 blades for 24 TPI HSS</p> <p>-</p>	
<p>Files with handles</p>	<p>Types and Sizes:</p> <p>-2 Half Round Files: 200 mm long</p> <p>-2 Round Files: 200 mm long</p> <p>-2 Flat Files (Coarse): 200 mm long</p> <p>-2 Flat Files (Fine): 200 mm long</p> <p>-2 Square Files: 200 mm long</p>	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.






Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

<p>Pullers</p>	<p>Usage: Suitable for moving gears, bearings, sprockets, and pulleys</p> <p>Construction: Drop forged high-quality steel, heat treated</p> <p>Types:</p> <ul style="list-style-type: none"> -Twin leg puller: Spread 150 mm, reach 80 mm -Twin + Triple leg puller: Spread 200 mm, reach 140 mm -Bearing Puller Kit: Includes bearing separator (35 - 140 mm capacity), beam, screw, thrust nut and race, main rods, nuts, washers, extension rods, and separator <p>Case: Metal case</p>	
<p>Lock grip plier.</p>	<p>Features: Serrated curved jaws, powerful locking mechanism, quick release lever, hardened forged jaws</p> <p>Types and Sizes:</p> <ul style="list-style-type: none"> 2 Curved Jaw Lock Grip Pliers: 190 mm length, 42 mm jaw capacity 2 Curved Jaw Lock Grip Pliers: 235 mm length, 63 mm jaw capacity 2 Straight Jaw Lock Grip Pliers: 190 mm length, 42 mm jaw capacity; 235 mm length, 63 mm jaw capacity 	
<p>Wires crimpers</p>	<p>Features: Color coded crimping, screw shear cuts terminal screw, crimp ignition wire cutter, general purpose wire cutter</p> <p>Wire Stripping Range: 0.70 to 6 mm²</p> <p>Handle: Rubber insulated</p>	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.




Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

<p>A 5-drawer roller cabinet</p>	<p>Features: Heavy-duty plate side handles, ball bearing slides</p> <p>Drawers: 5 drawers with sliding rails and key</p> <p>Drawer Dimensions:</p> <ul style="list-style-type: none"> -2 drawers (with 9 compartments): 580 x 410 x 52 mm -2 drawers: 580 x 410 x 100 mm -1 drawer: 580 x 	
----------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------



Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com