

BIHEXAGON Socket Set**Components:**

- **Metric Sockets (26 Pieces):**
 - Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 33, and 36 mm.
- **Hex Bit Sockets:**
 - Sizes: 4, 5, 6, 7, 8, 10, 12, 14, 17, and 19 mm.
- **Philips Sockets:**
 - Sizes: 2, 3, and 4.
- **Spark Plug Sockets:**
 - Sizes: M14 and M10.
- **Chrome Molybdenum Screwdriver Bits:**
 - Sizes: 9 and 14, chemically blackened.

Accessories:

- **Extension Bars:**
 - Lengths: 75 mm, 125 mm, and 250 mm.
- **Universal Joint**
- **T-Handle**
- **Swivel Handle**
- **Black Rubber Ratchet Handle**

Case:

- **Type:** Robust fitted case
- **Features:** Magnetic parts tray, security padlock, and cushion grip handle.

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Screwdriver Set



Handle:

- **Material:** Exceptionally resistant to hydrocarbons and other oils.
- **Construction:** Flanged tang molded inside handle.

Screwdrivers:

- **Material:** Chrome-plated vanadium steel.
- **Tip:** Short blasted.

Tray or Container Included.

Flared and Parallel Tips:

- **Blade Widths, Thicknesses, and Lengths:**
 - 5.5 mm (width), 2 mm (thickness), 100 mm (length)
 - 6.5 mm (width), 1.2 mm (thickness), 125 mm and 150 mm (length)
 - 8.0 mm (width), 1.2 mm and 1.6 mm (thickness), 150 mm and 200 mm (length)
 - 10.0 mm (width), 1.6 mm (thickness), 200 mm (length)
 - 12.0 mm (width), 2.0 mm (thickness), 250 mm (length)

Philips or Pozidriv Tips:

- **Sizes and Lengths:**
 - PZ1: 5.0 mm (diameter), 30 mm, 75 mm, 100 mm (length)
 - PZ2: 6.0 mm (diameter), 30 mm, 125 mm (length)
 - PZ0: 4.0 mm (diameter), 75 mm (length)
 - PZ3: 8.0 mm (diameter), 150 mm (length)
 - PZ4: 9.9 mm (diameter), 200 mm (length)
- **ISO Codes:** 2,380 and 4,757

3/8" Square Drive Insert Bit Set (17 Pieces):

- **Application:** Compatible with socket accessories or torque wrenches.
- **Container:** Steel box with form or plastic insert.
- **Contents:**
 - Universal bit adapter
 - Spinner handle
 - Metric Hexagon Bits: 3, 4, 5, 6 mm

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

- A/F Hexagon Bits: 3/32, 1/8, 5/32, 3/16 inches
- Long Reach Slotted Screw Insert Bits: 3, 4, 5.5 mm
- Pozidriv Bits: PZ1, PZ2, PZ3
- Container or box with cover.

Insulated Pliers Set



Features:

- **Use:** For electricians.
- **Material:** High-quality steel, hot forged for strength and durability.
- **Handle:** Anti-slip molding, insulated.

Pliers Included:

- **Multi-Grip Pliers:**
 - Length: 240 mm
 - Max. Jaw Opening: More than 45 mm
 - Slip Joint: More than 6 positions
- **Combination Pliers:**
 - Length: 180 mm
 - Serrated Jaw with Cutting Edge
 - Max. Wire Cutting: 1.6 mm
- **Snipe Nose Pliers:**
 - Length: 200 mm
 - Taper Straight Nose with Serrated Jaw and Side Cutter
 - Max. Wire Cutting: 1.6 mm
- **Diagonal Cutter Pliers:**
 - Length: 160 mm
 - Fine Sharpened for Cutting Copper Wire
 - Max. Wire Cutting: 1.6 mm
- **Wire Stripper Pliers:**
 - Length: 160 mm
 - Spring Release

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

- Adjustable Screw with Lock Nut
- Strip Wire Cap: 0.5 - 6 mm
- **End Cutter Pliers:**
 - Length: 160 mm
 - Fine Sharpened for Cutting Copper Wire
 - Max. Wire Cutting: 1.6 mm

Tool Box:

- **Type:** Cantilever, 3-tier construction
- **Features:** Double handle closing, 5 compartments

Hammer Tool Set



Steel Hammer:

- **Construction:** Drop forged, wooden or fiberglass handles.
- **Hammer Heads:**
 - **Ball Pein Hammer:**
 - Size 4 Oz.: 270 mm long, 65 mm head width, 18 mm head thickness
 - Size 16 Oz.: 350 mm long, 100 mm head width, 29 mm head thickness
 - **Joiners Warrington Hammer No.0:**
 - Size 8 Oz.: 270 mm long, 105 mm head width, 25 mm head thickness
 - **Steel Claw Hammer:**
 - Size 16 Oz.: 320 mm long, 130 mm head width, 32 mm head thickness
 - **Club Hammer:**
 - Size 4 lbs.: 240 mm long, 100 mm head width, 42 mm head thickness

Soft Face Hammer:

- **Copper/Copper Hammer:**
 - Size 32 Oz.: Hammer No.1, Face Dia. 32 mm, 280 mm long

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

- **Nylon Soft Face Hammer:**
 - Size 24 Oz.: Face Dia. 38 mm, 300 mm long
- **Rubber Mallet:**
 - Size 24 Oz.: Head Size 74x127 mm, 380 mm long

Cold Chisels:



- **Blade Widths and Lengths:**
 - 10 mm (width), 150 mm (length)
 - 16 mm (width), 200 mm (length)
 - 25 mm (width), 450 mm (length)

Punches:



- **Center Punches:**
 - Size 6 mm (diameter), 150 mm (length), 2 pieces
- **Taper Punches:**
 - Size 6 mm (diameter), 150 mm (length), 2 pieces
- **Automatic Center Punches:**
 - Size 6 mm (diameter), 140 mm (length)
 - Features: Impact adjusted by rotation of the knurl

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Hacksaw:



• **Features:**

- Lightweight construction resistant to oxidation
- Unique design for increased blade tension
- Front hand rest and hand guard protection
- Die-cast aluminum handle and square-section frame
- Cantilever blade adjustment
- Blade Length: 300 mm
- Blades: 24 blades for 18 TPI (Teeth per Inch) HSS, 24 blades for 24 TPI HSS

Files with Handles:



• **Types:**

- Half Round Files: 200 mm long, 2 pieces
- Round Files: 200 mm long, 2 pieces
- Flat Files (Coarse): 200 mm long, 2 pieces
- Flat Files (Fine): 200 mm long, 2 pieces
- Square Files: 200 mm long, 2 pieces

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Pullers:



Types:

- Twin and Triple Leg Pullers
- Internal and External Use
- Twin Leg Puller: Spread 150 mm, Reach 80 mm
- Twin + Triple Leg Puller: Spread 200 mm, Reach 140 mm
- Bearing Puller Kit: Includes bearing separators, beam, screw, thrust nut, and thrust race, main rods, nuts, washers, and extension rods

Lock Grip Pliers:



Types:

- Curved Jaw Lock Grip Pliers:
 - 190 mm length, 42 mm jaw capacity

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

6-Wire Crimpers



Features:

- **Color Coded Crimping:** Facilitates easy identification of crimping sizes.
- **Screw Shear Cuts Terminal Screws:** Designed to cut terminal screws efficiently.
- **Crimp Ignition Wire Cutter:** Specialized for cutting ignition wires.
- **General Purpose Wire Cutter:** Versatile for various wire cutting tasks.
- **Wire Stripping Range:** Capable of stripping wires from 0.70 mm² to 6 mm².
- **Handle:** Rubber insulated for improved grip and safety.

Applications:

- Suitable for crimping, cutting terminal screws, and general wire cutting and stripping.

5-Drawer Roller Cabinet



Features:

- **Construction:** Heavy-duty design with plate side handles.
- **Slides:** Ball bearing slides for smooth operation.
- **Drawers:** 5 drawers with sliding rails and key lock for secure storage.

Drawer Dimensions:

- **Drawer 1 & 2:**
 - Width: 580 mm

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com



- Depth: 410 mm
- Height: 52 mm (each with 9 compartments)
- **Drawer 3 & 4:**
 - Width: 580 mm
 - Depth: 410 mm
 - Height: 100 mm (each)
- **Drawer 5:**
 - Width: 580 mm
 - Depth: 410 mm
 - Height: 160 mm

Additional Features:

- **Castors:** 2 swivels and 2 fixed castors, diameter 125 mm, for easy mobility.
- **Top Surface:** Can be mounted to form a 25 mm deep tray or reversed to provide a smooth work table surface.

Applications:

- Ideal for organizing and storing tools and equipment in workshops and industrial settings.

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com