

EFFORTLESS. EFFICIENT

EXPERIENCE THE JOY OF WASHING

Smart wash turbo


AUTOMATIC TWO WHEELER WASHER



PROVIDING WASHING SOLUTIONS SINCE 1960'S

Low Water Consumption | Quick Washing | Less Manpower | Superior Wash

EFFORTLESS. EFFICIENT



Premium accessories

Drive out ramp

Foam lance

Remote control panel

Splash guard

TECHNICAL SPECIFICATION

PARAMETER VALUE

Water pump working pressure	17 ± 2 bar
Max. washable bike dimensions	2210 X 1360 X 890 mm ³
Max. water consumption per bike	45 L
Max. shampoo consumption per bike	20 ml
Cycle time per bike (without wiping)	52 ± 2 sec
No. of water nozzles	14 Nos
NO. of shampoo nozzles	4 Nos
Gun for wheel arch cleaning	1 Nos
Input supply voltage	3Ø, 415+10%/-15%
Frequency	50 ± 5%
Power requirement	7.5 hp
Space required	4100(L)X1450(W)X2050(H)mm ³
Inlet water connection	1 1/2"(M)
Compressed air requirement	6-8 bar
Inlet air connection	1/2" (F)



SPECIAL FEATURES



Less water consumption



Less man power



Superior wash quality



Gentle and safe on motor bikes



Quick wash

