



PRODUCT CATALOGUE



ICU Bed BE-001A

- Advance Liner Actuator system 04 Pcs Motor, 01 Pc Control Box, 01 Pc Handset, 01 Pc Nurse Control System(ACP).
- Four pieces individual side rails, ABS Moulded.
- Head and Foot panel with locking.
- Frame work made of Rectangular M.S. Tube.
- 4 Section op made up of Oval perforated CRCA MS Sheet.
- Bed Mounted on 5" Dia Castor.
- Holder for Urine bag.
- S.S. Telescopic IV Rod with 4 Locations.
- Overall Approx. Size:2090L x 910W x 460-700H MM.
- Finish: Pretreated & Epoxy Powder Coated.
- Plastic Base Co er For base frame.
- Positions Obained by Hand Remote:
 - Hi-Low, Backrest Elevation,
 - Trendelenburg Reverse Trendelenburg.
 - Knee rest Elevation.

Optional :

- 4 Section Mattress
- Manual CPR for Backrest
- X-Ray Translucent Backrest
- Removable ABS Platom

Positions Obtained / Function's on Nurse Control System (ACP) :

- Hi-Low
- Knee rest elevation
- Backrest elevation
- Trendelenburg / Reverse Trendelenburg.

ICU Bed BE-002B

- Advance Liner Actuator system 04 Pcs Motor, 01 Pc Control Box, 01 Pc Handset.
- Four Pieces individual side rails, ABS Moulded.
- Heavy ABS Head and Foot panel with locking and corner buffer.
- Frame work made of Rectangular M.S. Tube.
- 4 section op made up of Oval perforated CRCA MS Sheet.
- Bed Mounted on 5" Dia Castor.
- Holder For Urine Bag.
- S.S. Telescopic IV Rod with 4 Locations.
- Overall Approx. Size : 2090L x 910W x 460-700H MM.
- Finish : Pretreated 7 Epoxy Powder Coated

Positions obtained by hand Remote:

- Hi-Low, Backrest Elevation,
- Knee rest elevation,
- Trendelenburg / Reverse Trendelenburg.

Optional:

- 4 Section Mattress
- X-Ray Translucent Backrest
- Manual CPR for Backrest



ICU BED ELECTRIC (ABS PANELS & ABS RAILING) MODEL NO - BE-003

- Frame work made of rectangular M.S. Tube.
- 4 Section op made of oval/round perforated M.S. CRC sheet.
- ABS Moulded head & foot panels.
- 4 pcs, individual side railing ABS Moulded (tuck away)
- S.S. Telescopic IV rod with two locations.
- Bed mounted on 5" Dia castor two with brakes.
- Overall approx.. size: 210L x 90W x 60-80H cm.
- Finish: Epoxy Powder coated.
- Position obtained by electric actuator operated by hand remote system.
- 04 pcs, motors 01 pcs, control box 01pc, handset.

Positions obtained by hand Remote:

- Hi-Low, Backrest Elevation,
- Knee rest elevation,
- Trendelenburg / Reverse Trendelenburg.

Optional:

- CPR Function on backrest section.
- Central Breaking castors
- Four section m aers



ICU BED MECHANICAL (ABS PANELS & ABS RAILING) MODEL NO - BE-004

- Frame work made of rectangular M.S. Tube.
- 4 Section op made of oval/round perforated M.S. CRC Sheet
- ABC Modulded head and foot panels.
- 4 PCs individual side railing ABS Moulded (Tuck away)
- S.S. Telescopic IV Rod with Two Location
- Bed Mounted on 5" Dia Castor Two with brakes.
- Over all Approx. size 210L x 90W x 60-80H CMS.
- Finish Epoxy Powder Coated.

Positions Obtained by smooth crank System with Foldable Handles

- Hi- Low
- Backrest Elevation.
- Knee Rest Elevation
- Trendelenburg / Reverse Trendelenburg

Optional

- Four Section M aers (ASC-620-C)





**ICU BED MECHANICAL (ABS Panel's)
MODEL NO – BE-005**

- Frame work made of rectangular M.S. Tube.
- 4 Section op made of oval / round perforated M.S. CRC sheet.
- ABS Moulded Head & foot Panel's.
- Collapsible Safty side ailing.
- S.S. Telescopic IV Road with two Location's.
- Bed mounted on 5" Dia Castor two with brakes.
- Overall Approx. Size: 210L x 90W x 60-80H cm.
- Finish: Epoxy powder coated.

Position Obained by smooth crank system with foldable handled:

- Hi-Low
- Backrest elevation
- Knee rest elevation
- Trendelenburg / Reverse Trendelenburg

Optional

- Four section m aers (ASC-620-C)

**ICU BED MECHANICALLY (S.S. Panel & S.S. Railing)
MODEL No-BE-006**

- Frame work made of rectangular M.S. Tube.
- 4 Section op made of Oval / round Perforated M.S. CRC Sheet.
- S.S. Head & Foot Rows fi ed with Laminated Panels.
- S.S. Telescopic IV Rod with two locations.
- Rubber buffer at four corners.
- Bed Mounted on 5" Dia Castor two with brakes.
- Over all Approx. size: 210L x 90W x 60-80H cm.
- Finish: Epoxy powder coated.

Positions Obained by smooth crank System with foldable handles:

- Hi-Low
- Backrest Elevation
- Knee Rest Elevation
- Trendelenburg / Reverse Trendelenburg

Option:

- Four Section M atess (ASC – 620 – C)
- S.S. IV Rod with four locations.



RECOVERY BED MECHANICAL FIXED HEIGHT (ABS Panel's)
MODEL NO - BE-007

- Frame work made of Rectangular M.S. Tube.
- 4 Section op made of Oval / round Perforated M.S. CRC Sheet.
- ABS Moulded head & foot panels.
- Collapsible Safety side railing.
- S.S. Telescopic IV Rod with two locations.
- Bed Mounted on 5" Dia Castor two with brakes.
- Overall Approx. size: 210L x 90W x 60-80H cm.
- Finish: Epoxy Powder Coated.

Positions Obained by smooth crank system with foldable handles:

- Backrest Elevation.
- Knee rest Elevation.
- Trendelenburg / Reverse Trendelenburg

Optional:

- Four Section Mattress (ASC – 620 – c)


FOWLER BED ELECTRIC
MODEL NO – BE-008

- Frame work made M.S. Tube.
- 4 Section op made of Oval / round perforated M.S. CRC Sheet.
- 4 Pcs Individual side railing. ABS moulded (Tuck Away).
- ABS Moulded head & foot panels with locking and corner buffer.
- Bed mounted on 4" Dia Castor two with brakes.
- Overall Approx. size 210L x 90W x 60-80H cm.
- Finish: Pretreated Epoxy Powder Coated.
- Position Obained by electric actuator operated by hand remote system.
- 02 pcs Motors, 01 pc Control Box, 01 pc Handset.
- Backrest elevation.
- Knee rest elevation.

Optional:

- Four Section Mattress (ASC – 620 – C).
- S.S. Telescopic IV Rod with Two Locations (ASC – 628).



**FOWLER BED (ABS PANEL & ABS RAILING)
MODEL NO – BE-009**

- Frame work made of rectangular M.S. Tube.
- 4 Section op made of Oval / round Perforated M.S. CRC Sheet.
- ABS Moulded head & foot panels.
- 4 Pcs Individual side railing. ABS moulded (Tuck Away)
- Bed mounted on 4" Dia castor two with brakes.
- Over all Approx. size: 210L x 90W x 60-80H cm.
- Finish: Epoxy Powder Coated.
- Positions Obained by smooth crank system with foldable handles.
- Backrest elevation.
- Knee rest elevation.

Optional:

- Four Section Mattress (ASC – 620 – C).
- S.S. Telescopic IV Rod with Two Location's (ASC – 628).

**FOWLER BED (ABS PANELS)
MODEL NO – BE-010**

- Frame work made of rectangular M.S. Tube.
- 4 Section op made of Oval / round Perforated M.S. CRC Sheet.
- ABS Moulded head & foot panels.
- Bed mounted on 4" Dia Castor two with brakes.
- Over all Approx. size: 210L x 90W x 60-80H cm.
- Finish: Epoxy Power Coated.
- Positions Obained by smooth crank system with foldable handles.
- Backrest elevation

Optional:-

- Four Section Mattress (ASC -620- C)
- S.S. Telescopic IV Rod with Two Location (CS – 628)
- Powder coated Collapsible Safety Side Railing (ASC – 627).



FOWLER BED (SS BOW – DELUXE) MODEL NO – BE-011

- Frame work made of rectangular M.S. Tube.
- 4 Section op made of Oval / round Perforated M.S. CRC M.S. Sheet.
- S.S. head and Foot Panel with Laminated board and Corner Buffers.
- H type leg on 4" Dia castor two with brakes.
- Over all Approx. size: 210L x 90W x 60-80H cm.
- Finish: Epoxy Powder Coated.
- Positions Obained by smooth crank system with foldable handles.
- Backrest elevation.
- Knee rest elevation.

Optional:

- Four Section Mattress (ASC -620- C).
- S.S. Telescopic IV Rod with Two Locations (ASC -628).
- Powder Coated Collapsible Safety Side Railing (ASC – 627).



FOWLER BED (GENERAL) MODEL NO – BE-012

- Frame work made of rectangular M.S. Tube.
- 4 Section op made of Oval / round Perforated M.S. CRC Sheet.
- Tubular head and foot bows of unequal height with Vertical Tube Support.
- Bed Mounted on 4" Castors with two Breaks.
- Over all Approx. Size: 210L x 90W x 60H cm.
- Finish: Epoxy Powder Coated.
- Positions Obained by smooth crank system with foldable handles.
- Backrest elevation.
- Knee rest elevation.

Optional:

- Four Section Mattress (ASC – 620- C).
- S.S. Telescopic IV Rod with Two Location (ASC - 628).
- Powder coated Collapsible Safety Side Railing (ASC -627).





SEMI FOWLER BED (ABS PANEL)

MODEL NO – BE-013

- Frame work made of rectangular M.S. Tube.
- Frame work made of M.S. Tube.
- 2 Section op made of Oval / round Perforated M.S. CRC Sheet.
- Abs Moulded Head and Foot Panel with Locking and corner buffer.
- Legs fi ed with PVC stumps.
- Over all Approx. size: 209L x 91W x 60H cm.
- Finish: Epoxy Powder Coated.
- Positions Obained by actuator operated by hand remote System.
- 01 pcs motor, 01 pc Control Box, 01 pc Handset.
- Backrest elevation.

Optional:

- Two Section M atess (ASC -620- B).
- S.S. Telescopic IV Rod with Two Locations (ASC -628).
- 4" Castor Two with Brakes.
- Powder coated Collapsible Safety Side Railing (ASC-627).

SEMI FOWLER BED (ABS PANEL)

MODEL NO – BE-014

- Frame work made of M.S. Tube.
- 2 Section op made of Oval / round Perforated M.S. CRC Sheet.
- ABS Molded Head and Foot Panel with Locking and corner buffer.
- Legs fi ed with PVC stumps.
- Over all Approx. size: 209L x 91W x 60H cm.
- Finish: Pre-Treated Epoxy Powder Coated.
- Positions Obained smooth crank system with foldable handle.
- Backrest elevation.

Optional:-

- Two Section M atess (ASC -620- B).
- S.S. Telescopic IV Rod with Two Locations (ASC -628).
- 4" Castor Two with Brakes.
- Powder coated Collapsible Safety Side Railing (ASC-627).



SEMI FOWLER BED (S.S. PANEL)

MODEL NO – BE-015

- Frame work made of M.S. Tube.
- 2 Section op made of Oval / round Perforated M.S. CRC Sheet.
- S.S. Head and Foot Panel with laminated board and corner buffers.
- Legs fi ed with PVC stumps.
- Over all Approx. size: 209L x 91W x 60H cm.
- Finish: Pre-Treated Epoxy Powder Coated.
- Positions Obained smooth crank system with foldable handle.
- Backrest elevation.

Optional:

- Two Section Mattress (ASC -620- B).
- S.S. Telescopic IV Rod with Two Locations (ASC -628).
- 4" Castor Two with Brakes.
- Powder coated Collapsible Safety Side Railing (ASC-627).



SEMI FOWLER BED (GENERAL)

MODEL NO – BE-016

- Frame work made of M.S. Tube.
- 2 Section op made of Oval / round Perforated M.S. CRC Sheet.
- Tubular head and foot bows of unequal height with verti al tube support.
- Approx. size: 206L x 90W x 60H cm.
- Finish: Epoxy Powder Coated.
- Positions Obained smooth crank system with foldable handle.
- Backrest elevation.

Optional:

- Two Section Mattress (ASC -620- B).
- S.S. Telescopic IV Rod with Two Locations (ASC -628).
- Powder coated Collapsible Safety Side Railing (ASC-627).





HOSPITAL BED PLAIN (GENERAL)

MODEL NO – BE-017

- Frame work made of Rectangular M.S. Tube.
- Top of Oval / round Perforated CRC M.S. Sheet.
- Tubular head and foot bows of unequal height with vertical tube support.
- Legs fitted with PVC stumps.
- Overall Size: 206L x 90W x 60H cm.
- Finish: Epoxy Powder Coated.

Optional:

- Plain Mattress (ASC -620- A).
- S.S. Telescopic IV Rod with Two Locations (ASC - 628).

PEDIATRIC BED

MODEL NO –BE-018

- Frame work made of M.S. Tube.
- Top of Oval / round Perforated CRC M.S. Sheet.
- Tubular head and foot bows of unequal height with vertical tube support.
- Legs fitted with PVC stumps.
- Full length drop side rails on both sides.
- Overall size: 148L x 84W x 60H cm.
- Finish: Pre-treated & Epoxy Powder Coated.

Optional:

- Plain Mattress.
- S.S. Telescopic IV Rod with Two Locations (ASC -628).



ATTENDANT BED

MODEL NO – BE-019

- Frame work made of rectangular / Square M.S. Tube.
- 5cm Foam padded with fixed mattress covered with rexine.
- Legs fitted with PVC stumps.
- Finish: Epoxy Powder Coated.
- Overall Size: 180L x 60W x 60H cm.



ATTENDANT BED GENERAL

MODEL NO – BE-020

- Frame work made M.S. Tube.
- Frame work made of Strong and precise steel Tube Mounted on H type leg.
- Mounted on rubber Tube stumps.
- Top made of perforated CRCA sheet machine pressed and bent with mattress guard.
- Powder Coated head & foot bows.
- Size 72L x 24W x 18H inch.
- Finish: Pre-Treated and Epoxy Powder Coated.



Optional:

- Plain Mattess 4 inch (ASC -620).



PATIENT OPD COUCH/CHAIR

MODEL NO – BE-021

- The Fabric is pressed artificial Leather
- Over all Approx. dimension 190 x 62 x 58 cm.
- M.S. tubular frame work mounted in PVC Stumps.
- Finish: Epoxy Powder Coated.

EXAMINATION TABLE PLAIN

MODEL NO – BE-022

- Over all Approx. size: 183L x 60W x 81H cm.
- Frame work made of CRC tube.
- Legs fixed with PVC Stumps.
- 5 cm foam cushioned top covered with rexine.
- Pre-Treated and epoxy powder coated finish.

Optional:

- Machine Pressed double bend M.S. CRC Sheet top Mattess.





**EXAMINATION TABLE WITH 2 SECTION
MODEL NO – BE-023**

- Over all Approx. size: 72L x 24W x 32H inch.
- Frame work Rectangular & Square steel Tubes.
- Adjustable back rest by hand lever.
- Two Section cushioned op / Twwo Sectioned M.S. Powder Coated Top with Mattess.
- Legs fi ed with PVC Stumps.
- Pre-Treated and epoxy powder coated finish.

**EXAMINATION TABLE WITH CABINET AND DRAWER
MODEL NO – BE-024**

- Over all Approx. size: 183L x 50W x 80H cm.
- Frame work made of M.S. CRC tubes.
- 5 cm foam cushioned top covered with rexine.
- 1 Pc Cabinet with Drawer.
- Leg Fited with PVC Stamps.
- Epoxy Powder Coated finish.

Optional:

- Single foot step in Powder Coated.



**EXAMINATION COUCH WITH GYANE CUT
MODEL NO – BE-025**

- Over all Approx. size: 183L x 50W x 82H cm.
- Top Frame of CRC tubes covered with 5cm foam cushioned and rexine.
- 3 PC cabinet with drawer.
- Leg fi ed with PVC Stumps.
- Pre-Treated and epoxy powder coated finish.

Optional:

- Single Foot Step in powder coated / S.S.
- Utility rolley in powder coated with S.S. Tray.



EXAMINATION COUCH

MODEL NO – BE-026

- Approx. size: 183L x 50W x 82H cm.
- Body frame work made of 18/20G. CRC sheet backrest adjustable on gas spring.

Optional:

- S.S. / M.S. Foot step.
- Pressed double bend M.S. CRC Sheet top Mattress.



BED SIDE LOCKER (DELUXE)

MODEL NO – BE-027

- Size: 16L x 16W x 32H Inch.
- CRC Sheet construction having one box and one drawer
- Jointless / bend pressed S.S. Top with three side raise Edges.
- Fited with PVC stumps.
- Epoxy powder coated.

Optional:

- Also available in complete S.S. Model.
- Also Available in double color PC

BED SIDE LOCKER (SUPER DELUXE)

MODEL NO – BE-028

- Size: 16L x 16W x 32H inch.
- Machine Pressed CRCA Sheet enclosed on three side.
- Having one box and one drawer fitted with membrane / laminated pressed top and front side
- Fited with 50mm Dia castors.
- Epoxy powder coated.





BED SIDE LOCKER (ABS)
MODEL NO – BE-029

- Size: 480L x 480W x 760-800H mm.
- Made of ABS Plastic, light, steady lines, no aging.
- Built in towel shelf and one oddment rack.

BED SIDE LOCKER (STD)
MODEL NO – BE-030

- Size: 16L x 16W x 32H inch.
- Four leg Fited with PVC Stumps.
- Box and Door made of M.S. sheet.
- S.S. Top made by machine pressed jointless / bend pressed with three side raise edge.
- Finished: Epoxy powder coated.

Optional:

- Also available in complete S.S. Model.
- Also Available in double color PC.



BED SIDE LOCKER (BASIC)
MODEL NO – BE-031

- Size: 16L x 16W x 32H inch.
- M.S. Tubular frame work fitted with rubber shoe.
- S.S. Top with three side railing and tow side S.S. Tray.
- Finished: Pre-Treated and Epoxy Powder Coated frame.

Optional:

- Also available in complete S.S. model.
- Also available with three S.S. Tray /Shelves.



BED SIDE LOCKER (BASIC)
MODEL NO – BE-032

- Size: 22L x 20W x 34H inch.
- M.S. Frame Work.
- S.S. Shelves.
- One M.S. Drawer.
- 10 cm Dia Castors.
- Finished: Epoxy Powder Coated.

Optional:

- Also available in complete S.S. Model.


OVER BED TABLE
MODEL NO – BE-033

- Overall Approx. Size: 42L x 16W x 39H inch.
- Tubular frame work mounted on 5 cm Castor.
- Fixed membrane pressed wooden top (32" x 16").
- Finished: Pre-Treated and epoxy powder coated frame.

Optional:

- Also available in S.S. Frame model.
- Also available in ABS molded top.

OVER BED TABLE (MANUALLY ADJUSTABLE)
MODEL NO – BE-034A

- Rectangular Frame work mounted on 5cm Castors.
- Membrane pressed wooden top adjustable by side knob.
- Top size 32" x 16".
- Finished: Pre-Treated and Epoxy powder coated Frame.

Optional:

- Also available in Abs molded top.
- Also available in S.S. frame Model.





**OVER BED TABLE (MANUALLY ADJUSTABLE)
MODEL NO – BE-035B**

- ABS Molded Top fixed on M.S. square tubber telescopic stem.
- Height adjustable by gear handle.
- Base Frame Made of rectangular M.S. tube mounted on 5 cm Dia Castor.
- Finished: Epoxy Powder Coated Frame.

Optional:

- Also available in Laminated top (Approx. 32" X 16" w).
- Also available in S.S. frame Model.

**OVER BED TABLE (PNEUMATICALLY ADJUSTABLE)
MODEL NO – BE-036**

- Rectangular Frame work mounted on 5cm Castors.
- 33" X 18" ABS molded Top.
- Adjusted by pneumatic gas spring.
- Finished: Pre- treated and Epoxy Powder Coated Frame.

Optional:

- Also available in laminated Top (Approx. 32" L x 16" W).



**CRASH CART IN POWDER COATED FRAME
MODEL NO – BE-037**



- Over all Approx. size: 960L x 500W x 1545H mm.
- Frame work made of M.S. Tubes (Finish Powder Coated).
- Two light weight Polystyrene Boxes each with three drawers.
- Upper drawer with Medicine container of different sizes.
- Provision Of holding oxygen cylinder made of M.S.
- Massage board for cardiac patient are provided.
- Six number color hand out small bins at eye level.
- Total Three S.S. shelves with railing to carry medicine equipment's.
- Provided with chrome plated IV rod corner buffers.

CRASH CART IN POWDER S.S. FRAME MODEL NO – BE-038

- Over all Approx. size: 960L x 500W x 1545H mm.
- Frame work made of S.S. Tubes.
- Two light weight Polystyrene Boxes each with three drawers.
- Upper drawer with Medicine container of different sizes.
- Provision Of holding oxygen cylinder made of S.S.
- Massage board for cardiac patient are provided.
- Six number color hand out small bins at eye level.
- Total Three S.S. shelves with railing to carry medicine equipment's.
- Provided with S.S. IV rod corner buffers.
- The Cart mounted on 5" Dia Caster 2 with brakes.



MEDICINE TROLLEY MODEL NO - BE-039A

- Over all Approx. size: 750L x 380W x 930H mm.
- 6 Plastic Dower, Two Drawers with Utility Container.
- Fixed One S.S. Tray on Top and Down Side.
- M.S. Tubular Framework fitted with 4" Dia Castor.
- Finished: Pre- treated and Epoxy Powder Coated Frame.

Optional:

- Also available in S.S. Framework & S.S. shelves.

MEDICINE TROLLEY MODEL NO - BE-040B

- Over all Approx. size: 750L x 380W x 930H mm.
- Twelve Plastic Dower, Two Drawers with Utility Container.
- One S.S. Tray on Top.
- M.S. Tubular Framework fitted with 4" Dia Castors.
- Finished: Pre-Treated & Powder Coated Frame.

Optional:

- Also available in S.S. Framework & S.S. shelves.





**MEDICINE TROLLEY WITH 4 DRAWER
MODEL NO - BE-041**

- Over all Approx. size: 76L x 46W x 81H cm.
- Frame work of M.S. tube mounted on 4" castor.
- Two S.S. Shelves with Three side railing on top shelf.
- Two / one Drawer under each shelf.
- Finished: Epoxy Powder Coated.

Optional:

- Also available in S.S. Model.

**OT DRUG TROLLEY
MODEL NO - BE-042**

- Frame work made of rectangular M.S. Tube.
- Approx. Overall Size 67L x 46W x 153H cm.
- Complete in S.S. Structure with 24 nos. small hand bin & 12 Nos big hand bins.
- One Tray on Tap
- 5" Dia Castor with Two Brakes.

Optional:

- Also Available in Powder Coated Structure.



**MONITOR TROLLEY
MODEL NO - BE-043**

- Overall Size 800L x 600W x 1400H mm.
- Four Shelves and one Drawer's.
- Trolley having two handles.
- The Trolley mounted on 125 mm dia castors – 2 with brakes.
- Switch and Socket for medical equipment.
- Supplied with S.S. IV rod and M.S. Oxygen gas cylinder.
- Finish: Pre-Treated and epoxy powder coated.



SALINE STAND

MODEL NO – BE-044

- 5 Pronged based fixed with 5 cm dia castors.
- 8/10 mm S.S. / CP adjustable double hook IV rod to hold IV rod at fixed by knob.
- A – Plastic base with S.S. Pipe & Rod (202 / 304 G SS)
- B – Plastic base with powder coated pipe and chrome plated Rod.
- C – S.S. base with S.S. Pipe & Rod.
- D – Powder Coated base with Powder Coated Pipe and Chrome Plated Rod.



KITCHEN TROLLEY

MODEL NO – BE-045

- Overall size approx. 24L x 14W x 72H inch.
- Frame work S.S. tube mounted on 5" dia castor with two brakes.
- Four S.S. Containers



MAYO'S INSTRUMENT TROLLEY WITH S.S. TRAY.

MODEL NO – BE-046

- Overall, approx. S.S. Tray size: 22L x 16W inch.
- Rectangular CRC tube mounted on 5 cm.
- Castor's height adjustable by side knob.
- Finish: Pre-Treated and epoxy powder coated frame.
- Also available in S.S. frame & Tray.





MAYO'S TROLLEY FOR O.T
MODEL NO – BE-046

- Overall approx. Tray size 22L x 16W inch.
- Adjustable height of tray approx. 760 mm to 1270 mm through gear handle.
- Frame work made of 50mm x 30mm x 1.2mm rectangular M.S. tube.
- Tray Made of S.S. 202 / 304 Grade Sheet.
- Table Mounted on 50mm dia castor.
- Finished: Pre-Treated & Epoxy Powder Coated.
- Also available in S.S. frame work and S.S. Tray.

MAYO'S TROLLEY FOR OT
MODEL NO – BE-047

- Overall approx. Tray size 36L x 20W inch.
- Frame work of CRC tubes mounted on 10 cm castor.
- Adjustable height of tray approx. 45" to 52" through gear handle.
- Finish: Pre-Treated and epoxy powder coated.
- Also available in S.S. Frame & Tray.



INSTRUMENT MAYO'S TROLLEY
OVER THE OT TABLE (Manual)
MODEL NO – BE-048

- Approx. S.S. Tray size 36L x 20W inch.
- Specially designed instrument trolley for cross over the table
- Height Adjustable manually through knob
- Complete stainless-steel structure with detachable stainless steel instrument tray.
- Mounted on four 4 castors two with brakes Tray size 36L x 20W.
- 32" / 52" Height adjustable approx.
- Finished: Stainless-Steel.



Optional:

- Also available in powder coated frame with S.S. tray.

INSTRUMENT TROLLEY (TWO SHELVES)
MODEL NO – BE-049

- Frame work made of 1" x 18 G Vertical M.S. Tubes.
- Two 22 G S.S. Shelves with three sides Railing.
- The Trolley mounted on 4" dia castors.
- Finish: Pre-Treated and epoxy powder coated.
- 24L x 18W x 32H inch.
- 30L x 18W x 32H inch.
- 36L x 20W x 32H inch.
- Also available in S.S. frame and S.S. Shelves.



DRESSING TROLLEY (TWO SHELVES)
MODEL NO – BE-050

- Approx. Size: 30L x 18W x 32H inch.
- Frame work made of M.S. Tubes.
- Two S.S. Shelves over with S.S. railing on all four sides.
- The Trolley fitted S.S. bucket and S.S. bowl.
- The Trolley mounted on 4 dia castor.
- Finish: Pre-Treated and epoxy powder coated.
- Also available in S.S. frame work and S.S. Shelves.

EMERGENCY TROLLEY (ABS)
MODEL NO – BE-051

- ABS / M.S. body mental ball bearing rail.
- An aluminum columns B-Plastic Sheet columns IV pole needle.
- Disposal file bag (Optional), CPR Board (Optional) sliding tank holder (Optional) CPR Board Optional Sliding side shel, Stainless steel guard, 2 small & 3big drawers repositioned easily with partition can be well organized ABS basket frame can be repositioned easil.
- Approximate Size 850L x 250W x 950H mm.





**INSTRUMENT TROLLEY (THREE SHELVES)
MODEL NO – BE-052**

- Frame work made of 1" x 18 G Vertical M.S. Tubes.
- Three 22 G S.S. Shelves with three sides Railing.
- The Trolley mounted on 4" dia castors.
- A-24L x 18W x 32H inch.
- B-30L x 18W x 32H inch.
- C-36L x 20W x 32H inch.
- Also available in S.S. frame and S.S. Shelves.

**TROLLEY FOR OXYGEN
MODEL NO – BE-053**

- Overall approx. Tray size 36L x 20W inch.
- Frame work of CRC tubes mounted on 10 cm castor.
- Adjustable height of tray approx. 45" to 52" through gear handle.
- Finish: Pre-Treated and epoxy powder coated.
- Also available in S.S. Frame & Tray.



**FOOT STEP SINGLE POWDER COATED
MODEL NO – BE-054**



- Overall approx. size 20L x 11W x 9H inch.
- M.S. Tubular Legs fixed with PVC stumps.
- Pre-Treated and epoxy powder coated finish.
- M.S. top Fixed with rubber matting and aluminum beading.
- Also available in stainless steel model.

**FOOT STEP DOUBLE POWDER COATED
MODEL NO – BE-055**

- Overall approx. size 18L x 11W x 18H inch.
- M.S. Tubular Legs fi ed with PVC stump.
- CRC sheet duly double press bent.
- Pre-Treated and epoxy powder coated finish.
- Also available in stainless steel model.



**FOOT STEP SINGLE S.S.
MODEL NO – BE-056**

- Overall approx. size 20L x 11W x 10H inch.
- S.S. Tubular Legs fi ed with PVC stumps.
- Complete in S.S. Model.



**FOOT STEP DOUBLE S.S.
MODEL NO – BE-057**

- Overall approx. size 18L x 11W x 18H inch.
- S.S. Tubular Frame fi ed with PVC stump.
- S.S. sheet duly double press bent.
- Complete in S.S. Model.





BED CRADLE (Burn Cage)

MODEL NO – BE-058

- Approx. size: 48L x 24W x 24H
- Frame work made of M.S. tubes.
- Pre-Treated and Epoxy Powder Coated finish.

PATIENT REVOLVING STOOL (S.S.TOP)

MODEL NO – BE-059

- Four legs based with PVC Stumps.
- Height adjustment by machine screw from 18"x27".
- A Foot rest ring support made of S.S. tube.
- S.S. top supported with M.S. sheet top.
- Finish pre-treated and epoxy powder coated.
- Also available in S.S. Frame work and S.S. top.



PATIENT STOOL (STD)

MODEL NO – BE-060

- Approx. Size: 12L x 12W x 20H inch.
- Top made of CRC sheet double bent.
- Leg made of 25mm x 18G and Horizontal support of 19mm x 18G CRCA tube fixed with PVC Stumps.
- Finish: Epoxy Powder Coated.
- Also Available in S.S. Frame Work and S.S. Top.



PATIENT REVOLVING STOOL (CUSHIONED TOP)
MODEL NO – BE-061

- Four legs based with PVC Stumps.
- Height adjustment by machine screw from 18" x 27"
- A Foot rest ring support made of S.S. tube.
- S.S. top supported with M.S. sheet top.
- Finish pre-treated and epoxy powder coated.
- Also available in S.S. Frame work and S.S. top.



SURGEON STOOL
MODEL NO – BE-062

- Cushioned Seat
- Pneumatic height adjustable.
- 5 Leg Chrome plate heavy base with S.S. Foot ring Base Fited with 50mm dia castors.

Optional:

- Also Available with Backrest.



LAB TECHNICIAN STOOL
MODEL NO – BE-063

- Cushioned Seat
- Pneumatic height adjustable.
- 5 Leg Plastic base fitted with 50mm dia castors.





BLOOD DONAR CHAIR
MODEL NO – BE-064

- Frame work made of S.S. pipes.
- Fited with 3 sectio fixed ma mess covered with rexine and movable / removable armrest.
- Backrest and leg sectionis adjustable.
- Size Approx. 180L x 55W x 55H cm.

BED SIDE SCREEN
MODEL NO – BE-065

- Overall Approx. size: 1680 x 2450 mm.
- M.S. tubular constructionmade of 19mm x 18G in four / three section.
- Legs made of 25 mm x 18 G fi ed with 50mm dia castors.
- Supplied with hooks and ring with curtain cloth.
- Finish: Pre-Treated and Epoxy Powder Coated.



EMERGENCY & RECOVERY TROLLEY (HYDRAULIC)
MODEL NO – BE-066

- Two Sectiontop.
- Height adjustable by foot operated hydraulic pump from 660 mm to 910 mm.
- Gas spring assisted Trendelenburg / Reverse Trendelenburg positions.
- Complete with corner buffers, Syntheetirubber covered handles, Sliding X-ray cassette accessories tray, oxygen cylinder holder, S.S. telescopic IV rod and swing away S.S. Side Rails.
- Finish: Pre-Treated and epoxy powder coated.
- Four Swivel Castor 5" dia two with brakes.
- X-Ray Translucent removable stretcher backrest raised on ratchet.
- Overall approx.. size: 84L x 24W x 26-38H inch.

**PATIENT TROLLEY (HI – LOW, MECHANICAL)
MODEL NO – BE-067**

- Approx. Size: 78L x 24W x 27-36H inch.
- Frame work made of M.S. Tubes.
- Safety side railing IV rod.
- Height adjustable by crank handle at foot end.
- Two Section powder coated top, Head raise by Ratchet system.
- 5" dia castors two with breaks.
- Pre-Treated & epoxy powder coated finish.

Optional:

- 2 Section Maatess.
- Also available in S.S. Model.



**STRETCHER ON TROLLEY HI – LOW
WITH ABS TUCK AWAY RAILING
MODEL NO – BE-068**

- Totally made of CRC pip & Sheet with Epoxy Powder coated finish.
- Height adjustable with crank mechanism at foot end.
- Two sections powder coated top head raise by Ratchet System.
- Trolley Mobile on For 5" dia castors with Two Brakes.
- Two pcs ABS tuck away safety side railing.
- One stainless steel. IV Rod with Foldable four IV hooks.
- Provide with Cylinder cage and Utility Tray.
- Provided with Two Sectons 50 mm High density Foam Mattess with fixing straps.
- Size 241L x 24W x 34H inch.
- Finish: Pre-Treated and epoxy powder coated.



**STRETCHER ON TROLLEY WITH MATRESS
MODEL NO – BE-069**

- Overall approx. size: 84L x 22W x 32h inch.
- Frame work made of Tubular M.S. Pipe.
- Swing as way type safety railing.
- Adjustable IV Rod Utility Tray Cylinder Cage.
- Removable stretcher top made of M.S. sheet with S.S. Handle.
- Trolley mounted on 6" dia castors two with brakes.
- Epoxy powder coated finish.

Optional:

- Also Available in S.S. model.
- 2 section 50mm maatess.





**STRETCHER ON TROLLEY WITH TWO SIDE FLAP
MODEL NO – BE-070**

- Overall approx. size: 75L x 22W x 32H inch.
- Fixed top made CRC Sheet with two side foldable flap.
- Tubular frame work mounted on 6" dia castors.
- Finish: Pre-Treated and Epoxy Powder coated.

Optional:

- 50mm Foam Maters with Rexine Cover.
- UP and Down Safety railing in M.S. / S.S.
- Also available in complete stainless-steel model.

**STRETCHER ON TROLLEY
MODEL NO – BE-071**

- Overall approx. size 84L x 22W x 32H inch.
- Frame work made of 1.25 x 16G Vertal and 1" x 18G Horizontal CRC tube.
- Trolley mounted on 6" dia castors with two brakes.
- Removable stretcher Top made of M.S. sheet with S.S. handle.
- Finish: Pre-Treated and Epoxy Powder coated.

Optional:

- 50 mm Mattess Covered with Rexine.
- Up and Down type side railing in M.S. / S.S. type.
- Also available in complete stainless-steel model.



**EMERGENCY & RECOVERY TROLLEY (HYDRAULIC)
MODEL NO – BE-066**

- Two Sectiontop.
- Height adjustable by foot operated hydraulic pump from 660 mm to 910 mm.
- Gas spring assisted Trendelenburg / Reverse Trendelenburg positions.
- Complete with corner buffers, Syntheetirubber covered handles, Sliding X-ray cassette accessories tray, oxygen cylinder holder, S.S. telescopic IV rod and swing away S.S. Side Rails.
- Finish: Pre-Treated and epoxy powder coated.
- Four Swivel Castor 5" dia two with brakes.
- X-Ray Translucent removable stretcher backrest raised on ratchet.
- Overall approx.. size: 84L x 24W x 26-38H inch.





 **TESCA™**
www.tescaglobal.com

Tesca Technologies Pvt. Ltd.

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,
Tel: +91-9829132777; Email: info@tesca.in, tesca.technologies@gmail.com
Website: www.tescaglobal.com